


# Tape Selection Chart



- **About product codes** – ST: Standard Tape; SL: Streamline Tape; ID: Indoor; OD: Outdoor; HP: High Power; LP: Low Power; XX: Length in feet; A: 2219 LED; B: 2835 LED; 8: 8mm PCB; 0: 10mm PCB.
- **Please check the product pages for available sizes (XX).**

# Applications, Drivers & Controllers

## Applications

- Under Cabinet
- Cove (Low to Mid Ambient Light)

A3 A4 A5 B2

- Cove (High Ambient Light)
- Dark Surfaces (Higher Lumen)
- Under Cabinet

A1 A2 B1

- Wall Grazing
- Displays

A3 A4 A5 B2

- Displays
- Retail
- Shelves
- Under Cabinet
- Displays / Accent
- Back Lighting
- Cove (High Ambient Light)

A1 A2 A3 A4

B1 B2

- Architectural
- Entertainment
- Retail

C1 C2

- Architectural
- Building Outlines
- Signage

D1 D2

## Drivers




Plug-in Driver  
PGID2448/  
PGID2496

A1 A2 A3 A4  
A5 B1 B2 C1  
C2 D1 D2



Switchex®  
SX-24V-DD-100W

A1 A2 A3 A4  
A5



\*Dimmable Driver  
TRE24L40DC  
TRE24L96DC

A1 A2 A3 A4  
A5



\*Non-Dimmable Driver  
LEDDR-24-120W

A1 A2 A3 A4  
A5 B1 B2 C1  
C2 D1 D2

## Controllers



CNTRL-8Z-RGBCCT-WP  
B1 B2 D1 D2  
C1 C2



CNTRL-0-10V-DIM  
A1 A2 A3 A4  
A5



CNTRL-4Z-RGBCCT-RM  
C1 C2



CNTRL-2W-CCT  
B1 B2 D1 D2



CNTRL-RGBCCT  
C1 C2



CNTRL-4Z-CCT-RM  
B1 B2 D1 D2



CNTRL-AMP  
C1 C2



CNTRL-4Z-CCT-RWP-WH  
(White)



CNTRL-4Z-CCT-RWP-BK  
(Black)

NSL  
NATIONAL SPECIALTY LIGHTING

# Tape Replacement Guide: Part 1

|                                                                                                                          |   |                                                        |    |                                                        |    |                                                          |  |  |  |
|--------------------------------------------------------------------------------------------------------------------------|---|--------------------------------------------------------|----|--------------------------------------------------------|----|----------------------------------------------------------|--|--|--|
| High Density, High Power Indoor<br>{LTP-XX-YY-HD-H90}                                                                    | ➡ | Tunable CCT High Power Indoor<br>{SL-ID-CCT-HP-XX-A8}  |    |                                                        |    |                                                          |  |  |  |
| High Density, Low Power Indoor<br>{LTP-XX-YY-HD-LP-H90}                                                                  | ➡ | Tunable CCT Low Power Indoor<br>{SL-ID-CCT-LP-XX-A8}   |    |                                                        |    |                                                          |  |  |  |
| CCT Indoor<br>{LTP-16-CCT-H90}                                                                                           | ➡ | Tunable CCT High Power Indoor<br>{SL-ID-CCT-HP-XX-A8}  |    |                                                        |    |                                                          |  |  |  |
| COB Indoor<br>{LTP-XX-YY-COB-H90}                                                                                        | ➡ | Tunable CCT High Power Indoor<br>{SL-ID-CCT-HP-XX-A8}  | OR | Tunable CCT High Power Outdoor<br>{SL-OD-CCT-HP-20-B8} | OR | Outdoor/Indoor RGBW (RGB+3000K)<br>{SL-OD-RGB30K-20-BA8} |  |  |  |
| High Efficacy Indoor<br>{LTP-XX-YY-HE-H90}                                                                               | ➡ | Tunable CCT High Power Indoor<br>{SL-ID-CCT-HP-XX-A8}  |    |                                                        |    |                                                          |  |  |  |
| High Power Indoor<br>{LTP-XX-YY-H90}                                                                                     | ➡ | Tunable CCT High Power Indoor<br>{SL-ID-CCT-HP-XX-A8}  |    |                                                        |    |                                                          |  |  |  |
| High Power, RGB Indoor<br>{LTP-XX-RGB}                                                                                   | ➡ | RGB High Power Indoor<br>{ST-ID-RGB-HP-20-B0}          |    |                                                        |    |                                                          |  |  |  |
| High Power Outdoor<br>{LTP-OD-20-YY-H90}                                                                                 | ➡ | Tunable CCT High Power Outdoor<br>{SL-OD-CCT-HP-20-B8} |    |                                                        |    |                                                          |  |  |  |
| ➡ Please check the product pages for available sizes (XX).                                                               |   |                                                        |    |                                                        |    |                                                          |  |  |  |
|                                                                                                                          |   |                                                        |    |                                                        |    |                                                          |  |  |  |
| High Density, Low Power Indoor (3000K)<br>{LTP-XX-3000K-HD-LP-H90}                                                       |   |                                                        |    |                                                        |    |                                                          |  |  |  |
| ➡ Low Power Indoor (3000K) OR Tunable CCT Low Power Indoor<br>{SL-ID-30K-LP-XX-A8} {SL-ID-CCT-LP-XX-A8}                  |   |                                                        |    |                                                        |    |                                                          |  |  |  |
|                                                                                                                          |   |                                                        |    |                                                        |    |                                                          |  |  |  |
| High Efficacy Indoor (2700K)<br>{LTP-XX-2700K-HE-H90}                                                                    |   |                                                        |    |                                                        |    |                                                          |  |  |  |
| ➡ Standard Tape, High Power Indoor (2700K) OR Tunable CCT High Power Indoor<br>{ST-ID-27K-HP-20-B0} {SL-ID-CCT-HP-XX-A8} |   |                                                        |    |                                                        |    |                                                          |  |  |  |
| High Efficacy Indoor (3000K)<br>{LTP-XX-3000K-HE-H90}                                                                    |   |                                                        |    |                                                        |    |                                                          |  |  |  |
| ➡ Standard Tape, High Power Indoor (3000K) OR Tunable CCT High Power Indoor<br>{ST-ID-30K-HP-20-B0} {SL-ID-CCT-HP-XX-A8} |   |                                                        |    |                                                        |    |                                                          |  |  |  |
| High Power Indoor (2700K)<br>{LTP-XX-2700K-H90}                                                                          |   |                                                        |    |                                                        |    |                                                          |  |  |  |
| ➡ Standard Tape, High Power Indoor (2700K) OR Tunable CCT High Power Indoor<br>{ST-ID-27K-HP-20-B0} {SL-ID-CCT-HP-XX-A8} |   |                                                        |    |                                                        |    |                                                          |  |  |  |
| High Power Indoor (3000K)<br>{LTP-XX-3000K-H90}                                                                          |   |                                                        |    |                                                        |    |                                                          |  |  |  |
| ➡ Standard Tape, High Power Indoor (3000K) OR Tunable CCT High Power Indoor<br>{ST-ID-30K-HP-20-B0} {SL-ID-CCT-HP-XX-A8} |   |                                                        |    |                                                        |    |                                                          |  |  |  |


➡ ST represents the Standard Tape:



➡ SL represents the Streamline Tape:



# Tape Replacement Guide: Part 2



- ➡ Please check the product pages for available sizes (XX).
- ➡ Customer Care: [nslsales@nslusa.com](mailto:nslsales@nslusa.com) | 303.926.1100

- ➡ ST represents the Standard Tape:
- ➡ SL represents the Streamline Tape:

